

Product datasheet for TP727578

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Il21 Mouse Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant Mouse Interleukin-21/IL-21(N-6His)

Species: Mouse

Expression cDNA Clone

or AA Sequence:

Pro25-Ser146

Tag: N-His

Buffer: Lyophilized from a 0.2 um filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Note: Recombinant Mouse Interleukin-21 is produced by our E.coli expression system and the

target gene encoding Pro25-Ser146 is expressed with a 6His tag at the N-terminus.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: 12 months from date of despatch

Locus ID: 60505 **UniProt ID:** 09ES17

Synonyms: Interleukin-21;IL-21;IL21;Il21

Summary: Interleukin-21(IL-21) is an approximately 14 kDa cytokine which belongs to the IL-15/IL-21

family. Mature mouse IL-21 shares 66%,59%, 58%, and 88% aa sequence identity with mature canine, human, rabbit, and rat IL-21, respectively. IL-21 is produced by activated T follicular

helper cells (Tfh), Th17 cells, and NKT cells. It exerts its biological effects through a

heterodimeric receptor complex (IL-21 specific IL-21 R). IL-21 is a cytokine that has potent regulatory effects on cells of the immune system, including natural killer (NK) cells and cytotoxic T cells that can destroy virally infected or cancerous cells. This cytokine induces cell division/proliferation in its target cells. It is required for the migration of dendritic cells to draining lymph nodes .It coâ€′stimulates the activation, proliferation, and survival of CD8+ T cells and NKT cells and promotes Th17 cell polarization. It blocks the generation of regulatory

T cells and their suppressive effects on CD4+ T cells.

