

## **Product datasheet for TP727720**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **CD4 Human Recombinant Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant Human T-cell surface glycoprotein CD4/sCD4 (C-Fc)

Species: Human

**Expression cDNA Clone** 

or AA Sequence:

Lys26-Trp390

Tag: C-Fc

**Buffer:** Lyophilized from a 0.2 um filtered solution of PBS, 1mM EDTA, pH 7.4.

**Note:** Recombinant Human T-cell Surface Glycoprotein CD4 is produced by our Mammalian

expression system and the target gene encoding Lys26-Trp390 is expressed with a Fc tag at

the C-terminus.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Stability:** 12 months from date of despatch

Locus ID: 920

UniProt ID: P01730

Summary: CD4 is an approximately 55 kDa type I transmembrane glycoprotein that is expressed

predominantly on thymocytes and a subset of mature TÂ lymphocytes. It is a standard

phenotype marker for the identification of TÂ cell populations. Mature human CD4 consists of a 371Â amino acid extracellular region containing four immunoglobulin-like domains, a

22Â aa transmembrane segment, and a 40Â aa cytoplasmic domain. CD4 is expressed along with CD8 on double positive TÂ cells during their development in the thymus. CD4 binds

directly to MHC class II molecules on antigen presenting cells (10). This interaction

contributes to the formation of the immunological synapse which is focused around the TCR-MHC class II-antigenic peptide interaction. CD4 also functions as a chemotactic receptor for

IL-16 and, in human, as a co-receptor for the gp120 surface glycoprotein of HIV-1.

