

Product datasheet for TP727760

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Tnfrsf11b Mouse Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant Mouse Tumor Necrosis Factor Receptor11B/TNFRSF11B (C-10His)

Species: Mouse

Expression cDNA Clone

or AA Sequence:

Glu22-Leu401

Tag: C-His

Buffer: Lyophilized from a 0.2 um filtered solution of PBS, pH 7.4.

Note: Recombinant Mouse Tumor Necrosis Factor Receptor Superfamily Member 11B is produced

by our Mammalian expression system and the target gene encoding Glu22-Leu401 is

expressed with a 10His tag at the C-terminus.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3

weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Stability: 12 months from date of despatch

Locus ID: 18383 **UniProt ID:** 008712

Synonyms: Tumor necrosis factor receptor superfamily member 11B; Osteoclastogenesis inhibitory

factor; Osteoprotegerin; Tnfrsf11b; Ocif; Opg

Summary: Osteoprotegerin (OPG, Tnfrsf11b) is a secreted protein that regulates bone density. OPG is

widely expressed and constitutively released as a homodimer by mesenchymal stem cells, fibroblasts and endothelial cells. Regulation of its expression by estrogen, parathyroid hormone and cytokines is complex and changes with age. OPG acts as decoy receptor for TNFSF11/RANKL and thereby neutralizes its function in osteoclastogenesis. TRAIL decreases the release of OPG from cells that express it, while OPG inhibits TRAIL-induced apoptosis. Expression of RANK L on the cell surface, and thus its ability to stimulate osteoclastogenesis, is regulated by OPG by intracellular and extracellular mechanisms. Bone homeostasis seems to depend on the local ratio between TNFSF11 and TNFRSF11B. It may also play a role in

preventing arterial calcification.

