

Product datasheet for TP727888

SIRP alpha (SIRPA) Human Recombinant Protein

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Recombinant Proteins
Description:	Recombinant Human SIRPA (C-6His)
Species:	Human
Expression cDNA Clone or AA Sequence:	Glu31-Arg370
Tag:	C-6His
Buffer:	Lyophilized from a 0.2 um filtered solution of 20mM PB, 150mM NaCl, pH 7.2.
Note:	Recombinant Human Signal-Regulatory Protein Alpha 1 is produced by our Mammalian expression system and the target gene encoding Glu31-Arg370 is expressed with a 6His tag at the C-terminus.
Storage:	Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Stability:	12 months from date of despatch
Locus ID:	140885
UniProt ID:	<u>P78324</u>
Synonyms:	Tyrosine-Protein Phosphatase Non-Receptor Type Substrate 1; SHP Substrate 1; SHPS-1; Brain Ig-Like Molecule with Tyrosine-Based Activation Motifs; Bit; CD172 Antigen-Like Family Member A; Inhibitory Feceptor SHPS-1; Macrophage Fusion Receptor; MyD-1 Antigen; Signal- Regulatory Protein Alpha-1; Sirp-Alpha-1; Signal-Regulatory Protein Alpha-2; Sirp-Alpha-2; Signal-Regulatory Protein Alpha-3; Sirp-Alpha-3; p84; CD172a; SIRPA; BIT; MFR; MYD1; PTPNS1; SHPS1; SIRP



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	SIRP alpha (SIRPA) Human Recombinant Protein – TP727888
Summary:	Signal Regulatory Protein α (SIRPα) is a monomeric approximately 90 kD type I transmembrane glycoprotein. The 504 amino acid human SIRPα contains two Ig-like C1-type domains and one Ig-like V-type domain. SIRPα can express in various tissues, mainly on brain and myeloid cells, including macrophages, neutrophils, dendritic and Langerhans cells. It also can detect in neurons, smooth muscle and endothelial cells. SIRPA is an immunoglobulin-like cell surface receptor for CD47. SIRPα acts as docking protein and induces translocation of PTPN6, PTPN11 and other binding partners from the cytosol to the plasma membrane. SIRPα shows adhesion of cerebellar neurons, neurite outgrowth and glial cell attachment. SIRPα engagement generally produces a negative regulatory signal; it may mediate negative regulation of phagocytosis, mast cell activation and dendritic cell activation
Protein Familie	es: Druggable Genome, Phosphatase, Transmembrane

~ \$%~

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US