

## **Product datasheet for TP728133**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Tnfrsf4 (20-211, hlgG-His-Tag) Mouse Recombinant Protein

## **Product data:**

**Product Type:** Recombinant Proteins

**Description:** Recombinant mouse OX40/TNFRSF4 protein

Species: Mouse Expression Host: HEK293

**Expression cDNA Clone** VTARRL NCVKHTYPSG HKCCRECQPG HGMVSRCDHT RDTLCHPCET GFYNEAVNYD

or AA Sequence: TCKQCTQCNH RSGSELKQNC TPTQDTVCRC RPGTQPRQDS GYKLGVDCVP CPPGHFSPGN

NQACKPWTNC TLSGKQTRHP ASDSLDAVCE DRSLLATLLW ETQRPTFRPT TVQSTTVWPR

TSELPSPPTL VTPEGP

Tag: hlgG-His-Tag

Predicted MW: 48.6kDa (435aa)

**Concentration:** 0.25mg/ml (determined by Absorbance at 280nm)

Purity: > 95% by SDS-PAGE

**Buffer:** Liquid. In Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

**Bioactivity:** Measured by its binding ability in a functional ELISA with Mouse OX40 Ligand/TNFSF4 (CAT#

ATGP4022). The ED50 range  $\leq$  0.4 ug/ml.

**Endotoxin:** < 1 EU per 1ug of protein (determined by LAL method)

**Applications:** SDS-PAGE, Bioactivity

Storage: Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -

80C. Avoid repeated freezing and thawing cycles.

**RefSeq:** NP 035789.1

**Summary:** TNFRSF4, also known as CD134, is a member of the TNFR-superfamily of receptors. This

protein is a receptor for TNFSF4/OX40L/GP34 and a costimulatory molecule implicated in long-term T-cell immunity. OX40-OX40L interactions regulate antigen-specific T-cell expansion and survival, cytokine production. It also modulates cytokine receptor signalling. Therefore the interaction between TNFRSF4 and CD40L plays a key role in the development of multiple imflammatry and autoimmune disease. It has been implicated in the pathologic cytokine storm associated with certain viral infections, including the H5N1 bird flu. Recombinant mouse OX40/TNFRSF4, fused to hIgG-His-tag at C-terminus, was expressed in HEK293 cell

and purified by using conventional chromatography techniques.

