

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TP728152L


Recombinant BMP-12 (Bone morphogenetic protein-12), Human

Product data:

Recombinant Proteins
Recombinant BMP-12 (Bone morphogenetic protein-12), Human
Human
E. coli
MTALAGTRTAQGSGGGAGRGHGRRGRSRCSRKPLHVDFKELGWDDWIIAPLDYEAYHCEGLCDFPLRSH LEPTNHAIIQTLLNSMAPDAAPASCCVPARLSPISILYIDAANNVVYKQYEDMVVEACGCR with polyhistidine tag at the C-terminus.
His Tag (C-term)
The protein has a calculated MW of 14.95 kDa. The protein migrates as 17 kDa under reducing condition (SDS-PAGE analysis).
>98% as determined by SDS-PAGE.
The protein was lyophilized from a 0.2 μm filtered solution containing 20 mM sodium citrate, 0.2 M NaCl, pH 3.5.
Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The ED $_{50}$ for this effect is < 2 µg/mL.
<0.1 EU per 1 μ g of the protein by the LAL method.
Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H ₂ O to a concentration not less than 100 µg/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.
Cell culture
Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at - 20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.
<u>Q7Z4P5</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Summary:

Bone morphogenetic proteins (BMPs) are a group of growth factors also known as cytokines and as metabologens. BMP-12 regulates chondrogenesis, bone morphogenesis, and neuron differentiation.

Product images:



SDS- PAGE analysis of recombinant human BMP-12

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US