

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for TP728191L

## Recombinant FGF-11 isoform 2 (Fibroblast growth factor-11 isoform 2), Human

## **Product data:**

Product Type:	Recombinant Proteins
Description:	Recombinant FGF-11 isoform 2 (Fibroblast growth factor-11 isoform 2), Human
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	MSLSPEPQLKGIVTKLFCRQGFYLQANPDGSIQGTPEDTSSFTHFNLIPVGLRVVTIQSAKLGHYMAMNAE GLLYSSPHFTAECRFKECVFENYYVLYASALYRQRRSGRAWYLGLDKEGQVMKGNRVKKTKAAAHFLPKLL EVAMYQEPSLHSVPEASPSSPPAP with polyhistidine tag at the C-terminus.
Tag:	His Tag (C-term)
Predicted MW:	The protein has a calculated MW of 19.34 kDa. The protein migrates as 23 kDa under reducing condition (SDS-PAGE analysis).
Purity:	>98% as determined by SDS-PAGE.
Buffer:	The protein was lyophilized from a 0.2 $\mu m$ filtered solution containing 1X PBS, pH 7.4.
Bioactivity:	Measure by its ability to induce 3T3 cells proliferation. The ED₅₀ for this effect is <1 ng/mL.
Endotoxin:	<0.1 EU per 1 $\mu$ g of the protein by the LAL method.
Reconstitution Method:	Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H <sub>2</sub> O to a concentration not less than 100 μg/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.
Applications:	Cell culture
Storage:	Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at - 20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.
UniProt ID:	<u>Q92914</u>
Synonyms:	FHF-3, FHF3
Summary:	The Fibroblast Growth Factors (FGF) family has two group, secreted FGFs and intracellular FGFs (iFGFs). iFGFs are related to voltage-gated sodium (Nav) channels. Human FGF-11 isoform 2 is a 18 kDa cytokine with 166 amino acid residues.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US