

Product datasheet for TP728309

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Recombinant CXCL16 (C-X-C motif chemokine 16), Mouse

Product data:

Product Type: Recombinant Proteins

Description: Recombinant CXCL16 (C-X-C motif chemokine 16), Mouse

Species: Mouse Expression Host: E. coli

Expression cDNA Clone NQGSVAGSCSCDRTISSGTQIPQGTLDHIRKYLKAFHRCPFFIRFQLQSKSVCGGSQDQWVRELVDCFERK

or AA Sequence: ECGTGHGKSFHHQKHLP with polyhistidine tag at the N-terminus.

Tag: His Tag (N-term)

Predicted MW: The protein has a calculated MW of 10.74 kDa. The protein migrates as 11-17 kDa under

reducing condition (SDS-PAGE analysis).

Purity: >98% as determined by SDS-PAGE.

Buffer: The protein was lyophilized from a 0.2 μm filtered solution containing 1X PBS, pH 7.4.

Bioactivity: Measure by its ability to chemoattract BaF3 cells transfected with mouse CXCR6 The ED₅₀ for

this effect is <3 ng/mL.

Endotoxin: $< 0.1 \; EU \; per \; 1 \; \mu g \; of \; the \; protein \; by \; the \; LAL \; method.$

Reconstitution Method: Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the

lyophilized protein in sterile H_2O to a concentration not less than 100 $\mu g/mL$ and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

Applications: Cell culture

Storage: Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to

8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -

20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

UniProt ID:Q8BSU2Synonyms:SRPSOX






Summary:

C-X-C motif chemokine 16 (CXCL16) is a chemokine of the intercrine alpha family which is a 9.8 kDa protein containing 88 amino acid residues. In mediate the innate immunity, CXCL16 is a chemotaxis for T cells and NKT cells, which expressed the CXC chemokine receptor (CXCR) 6. CXCL16 also can be enhanced the expression level by the TNF α , IL-1 and IFNy. CXCL16 protects the host by against the gram positive and gram negitive bactreials.

Product images:



SDS- PAGE analysis of recombinant mouse CXCL16