

## **Product datasheet for TP728346S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Recombinant IL-22 (Interleukin-22), Mouse

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant IL-22 (Interleukin-22), Mouse

Species: Mouse Expression Host: E. coli

**Expression cDNA Clone** 

or AA Sequence:

MLPVNTRCKLEVSNFQQPYIVNRTFMLAKEASLADNNTDVRLIGEKLFRGVSAKDQCYLMKQVLNFTLED VLLPQSDRFQPYMQEVVPFLTKLSNQLSSCHISGDDQNIQKNVRRLKETVKKLGESGEIKAIGELDLLFMSL

RNACV with polyhistidine tag at the C-terminus.

Tag: His Tag (C-term)

**Predicted MW:** The protein has a calculated MW of 17.58 kDa. The protein migrates about 17 kDa under

reducing condition (SDS-PAGE analysis).

**Purity:** >98% as determined by SDS-PAGE.

Buffer: The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 7.4.

**Bioactivity:** Measure by its ability to induce IL-10 secretion in COLO205 cells. The ED₅₀ for this effect is

<0.3 ng/mL.

**Endotoxin:**  $< 0.1 \text{ EU per 1} \mu \text{g of the protein by the LAL method.}$ 

**Reconstitution Method:** Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the

lyophilized protein in sterile  $H_2O$  to a concentration not less than 100  $\mu g/mL$  and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

**Applications:** Cell culture

Storage: Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to

8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -

20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

UniProt ID: Q9||Y9

Synonyms: IL-TIF, Cytokine ZCYTO18, If2b1, ILTIFa






**Summary:** 

Interleukin 22 (IL-22) is an  $\alpha$ -helical cytokine, predicts a molecular mass of 16.9 kDa. It is produced by T-helper (Th)-17 cells,  $\gamma\delta$  T cells, NKT cells and newly described innate lymphoid cells (ILCs). Effects involve stimulation of cell survival, proliferation and synthesis of antimicrobials including S110, Reg3 $\beta$ , Reg3 $\gamma$  and defensins.

## **Product images:**



SDS- PAGE analysis of recombinant mouse IL-22