

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TP750004-1000

#### TRAIL (TNFSF10) (NM\_003810) Human Recombinant Protein

#### **Product data:**

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human TRAIL (TNFSF10) produced in E. coli.
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	A DNA sequence encoding the region (Arg115-Gly281) of Trail
Tag:	Tag-free
Predicted MW:	19.5 kDa
Concentration:	Resuspend the protein to the desired concentration in proper buffer.
Purity:	>95% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	Lyophilized from a sterile solution containing 20 mM PB, pH 7.4
Endotoxin:	<0.1 EU per 1 $\mu$ g of the protein by the LAL
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 003801</u>
Locus ID:	8743
UniProt ID:	<u>P50591</u>
RefSeq Size:	1953
Cytogenetics:	3q26.31
RefSeq ORF:	843
Synonyms:	Apo-2L; APO2L; CD253; TL2; TNLG6A; TRAIL



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


## STRAIL (TNFSF10) (NM\_003810) Human Recombinant Protein – TP750004-1000

Summary:	The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor
	(TNF) ligand family. This protein preferentially induces apoptosis in transformed and tumor
	cells, but does not appear to kill normal cells although it is expressed at a significant level in
	most normal tissues. This protein binds to several members of TNF receptor superfamily
	including TNFRSF10A/TRAILR1, TNFRSF10B/TRAILR2, TNFRSF10C/TRAILR3,
	TNFRSF10D/TRAILR4, and possibly also to TNFRSF11B/OPG. The activity of this protein may
	be modulated by binding to the decoy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4,
	and TNFRSF11B/OPG that cannot induce apoptosis. The binding of this protein to its
	receptors has been shown to trigger the activation of MAPK8/JNK, caspase 8, and caspase 3.
	Alternatively spliced transcript variants encoding different isoforms have been found for this
	gene. [provided by RefSeq, Jul 2010]

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Apoptosis, Cytokine-cytokine receptor interaction, Natural killer cell mediated cytotoxicity

### **Product images:**



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US