

Product datasheet for TP750155

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SHP2 (PTPN11) (NM 002834) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of PTPN11, Met1-Leu525, expressed in E. coli, 50 ug

Species: Human E. coli **Expression Host:**

Expression cDNA Clone

or AA Sequence:

N-His Tag:

Predicted MW: 62.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 50 mM Tris-HCl, pH 8.0, 500 mM NaCl, 10% glycerol

For testing in cell culture applications, please filter before use. Note that you may experience Note:

A DNA sequence encoding the region Met1-Leu525 of human PTPN11

some loss of protein during the filtration process.

Store at -20°C. Storage:

Stable for 12 months from the date of receipt of the product under proper storage and Stability:

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 002825

Locus ID: 5781

UniProt ID: 006124

RefSeg Size: 6300

Cytogenetics: 12q24.13

RefSeq ORF: 1779

Synonyms: BPTP3; CFC; IMML; METCDS; NS1; PTP-1D; PTP2C; SH-PTP2; SH-PTP3; SHP2





Summary:

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains two tandem Src homology-2 domains, which function as phospho-tyrosine binding domains and mediate the interaction of this PTP with its substrates. This PTP is widely expressed in most tissues and plays a regulatory role in various cell signaling events that are important for a diversity of cell functions, such as mitogenic activation, metabolic control, transcription regulation, and cell migration. Mutations in this gene are a cause of Noonan syndrome as well as acute myeloid leukemia. [provided by RefSeq, Aug 2016]

Protein Families: Druggable Genome, Phosphatase

Protein Pathways: Adipocytokine signaling pathway, Chronic myeloid leukemia, Epithelial cell signaling in

Helicobacter pylori infection, Jak-STAT signaling pathway, Leukocyte transendothelial

migration, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Renal cell

carcinoma

Product images:

