

## Product datasheet for **TP760774**

### DIPK1C (NM\_001044369) Human Recombinant Protein

#### Product data:

|                                       |   |
|---------------------------------------|---|
| Product Type:                         | Recombinant Proteins  |
| Description:                          | Purified recombinant protein of Human family with sequence similarity 69, member C (FAM69C), full length, with N-terminal HIS tag, expressed in E. coli, 50ug   |
| Species:                              | Human   |
| Expression Host:                      | E. coli   |
| Expression cDNA Clone or AA Sequence: | A DNA sequence encoding human full-length FAM69C  |
| Tag:                                  | N-His   |
| Predicted MW:                         | 13.6 kDa  |
| Concentration:                        | >0.05 µg/µL as determined by microplate BCA method  |
| Purity:                               | > 80% as determined by SDS-PAGE and Coomassie blue staining   |
| Buffer:                               | 25 mM Tris-HCl, pH 8.0, 150 mM NaCl, 1% sarkosyl, 10% glycerol  |
| Note:                                 | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.  |
| Storage:                              | Store at -80°C.   |
| Stability:                            | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.   |
| RefSeq:                               | <a href="#">NP_001037834</a>  |
| Locus ID:                             | 125704  |
| UniProt ID:                           | <a href="#">Q0P6D2</a>  |
| RefSeq Size:                          | 1343  |
| Cytogenetics:                         | 18q22.3   |
| RefSeq ORF:                           | 360   |
| Synonyms:                             | C18orf51; FAM69C  |
| Summary:                              | This gene encodes a member of the FAM69 family of cysteine-rich type II transmembrane proteins. These proteins localize to the endoplasmic reticulum but their specific functions are unknown. [provided by RefSeq, Nov 2011] |



[View online »](#)

**Product images:**