

Product datasheet for **TP760787**

Staufen (STAU1) (NM_017452) Human Recombinant Protein

Product data:

| | |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Type: | Recombinant Proteins |
| Description: | Purified recombinant protein of Human staufen, RNA binding protein, homolog 1 (Drosophila) (STAU1), transcript variant T2, full length, with N-terminal HIS tag, expressed in E. coli, 50ug |
| Species: | Human |
| Expression Host: | E. coli |
| Expression cDNA Clone or AA Sequence: | A DNA sequence encoding human full-length STAU1 |
| Tag: | N-His |
| Predicted MW: | 54.8 kDa |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | 25 mM Tris-HCl, pH 8.0, 150 mM NaCl, 1% sarkosyl, 10% glycerol |
| Note: | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. |
| Storage: | Store at -80°C. |
| Stability: | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |
| RefSeq: | NP_059346 |
| Locus ID: | 6780 |
| UniProt ID: | O95793 |
| RefSeq Size: | 3399 |
| Cytogenetics: | 20q13.13 |
| RefSeq ORF: | 1488 |
| Synonyms: | PPP1R150; STAU |


[View online »](#)

Summary:

Staufen is a member of the family of double-stranded RNA (dsRNA)-binding proteins involved in the transport and/or localization of mRNAs to different subcellular compartments and/or organelles. These proteins are characterized by the presence of multiple dsRNA-binding domains which are required to bind RNAs having double-stranded secondary structures. The human homologue of staufen encoded by STAU, in addition contains a microtubule-binding domain similar to that of microtubule-associated protein 1B, and binds tubulin. The STAU gene product has been shown to be present in the cytoplasm in association with the rough endoplasmic reticulum (RER), implicating this protein in the transport of mRNA via the microtubule network to the RER, the site of translation. [provided by RefSeq, Apr 2020]

Product images:
