

# **Product datasheet for TP762208**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PLAT (NM 000930) Human Recombinant Protein

#### **Product data:**

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Human plasminogen activator, tissue (PLAT), transcript

variant 1, Ala157-Val426, with N-terminal His tag, expressed in E.coli, 50ug

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

A DNA sequence encoding the region(Ala157-Val426) of PLAT

Tag: N-His

Predicted MW: 30.3 kDa

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 50 mM Tris-HCl, pH 8.0, 8 M urea

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000921

 Locus ID:
 5327

 UniProt ID:
 P00750

 RefSeq Size:
 3173

 Cytogenetics:
 8p11.21

RefSeq ORF: 1686

Synonyms: T-PA; TPA






**Summary:** 

This gene encodes tissue-type plasminogen activator, a secreted serine protease that converts the proenzyme plasminogen to plasmin, a fibrinolytic enzyme. The encoded preproprotein is proteolytically processed by plasmin or trypsin to generate heavy and light chains. These chains associate via disulfide linkages to form the heterodimeric enzyme. This enzyme plays a role in cell migration and tissue remodeling. Increased enzymatic activity causes hyperfibrinolysis, which manifests as excessive bleeding, while decreased activity leads to hypofibrinolysis, which can result in thrombosis or embolism. Alternative splicing of this gene results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Jan 2016]

**Protein Families:** Druggable Genome, Protease, Secreted Protein

**Protein Pathways:** Complement and coagulation cascades

# **Product images:**



Purified recombinant protein PLAT was analyzed by SDS-PAGE gel and Coomossie Blue Staining.