

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TP762366

Wilms Tumor Protein (WT1) (NM_024424) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Human Wilms tumor 1 (WT1), transcript variant B, Met1- Ala78-GGGGS-Lys141-Gly229, with N-terminal His tag, expressed in E.coli, 50ug
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	A DNA sequence encoding the region(Met1-Ala78-GGGGS-Lys141-Gly229) of WT1
Tag:	N-His
Predicted MW:	17.9 kDa
Concentration:	>0.05 μ g/ μ L as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, pH 8.0, 150 mM NaCl, 10% glycerol
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C after receiving vials.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 077742</u>
Locus ID:	7490
UniProt ID:	<u>P19544</u>
RefSeq Size:	3020
Cytogenetics:	11p13
RefSeq ORF:	1542
Synonyms:	AWT1; GUD; NPHS4; WAGR; WIT-2; WT33



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


	Wilms Tumor Protein (WT1) (NM_024424) Human Recombinant Protein – TP762366
Summary:	This gene encodes a transcription factor that contains four zinc-finger motifs at the C-
	terminus and a proline/glutamine-rich DNA-binding domain at the N-terminus. It has an
	essential role in the normal development of the urogenital system, and it is mutated in a
	small subset of patients with Wilms tumor. This gene exhibits complex tissue-specific and
	polymorphic imprinting pattern, with biallelic, and monoallelic expression from the maternal
	and paternal alleles in different tissues. Multiple transcript variants have been described. In
	several variants, there is evidence for the use of a non-AUG (CUG) translation initiation codon
	upstream of, and in-frame with the first AUG. Authors of PMID:7926762 also provide evidence
	that WT1 mRNA undergoes RNA editing in human and rat, and that this process is tissue-
	restricted and developmentally regulated. [provided by RefSeq, Mar 2015]

Protein Families:

~ \$%~

Druggable Genome, Transcription Factors

Product images:



Purified recombinant protein WT1 was analyzed by SDS-PAGE gel and Coomossie Blue Staining.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US