

## Product datasheet for TR304330

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GKAP1 Human shRNA Plasmid Kit (Locus ID 80318)**

**Product data:** 

**Product Type:** shRNA Plasmids

**Product Name:** GKAP1 Human shRNA Plasmid Kit (Locus ID 80318)

Locus ID: 80318

FKSG21; GKAP42 Synonyms:

Vector: pRS (TR20003)

E. coli Selection: Ampicillin Mammalian Cell

Selection:

Puromycin

Format: Retroviral plasmids

GKAP1 - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = Components:

80318). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

NM 001135953, NM 025211, NM 025211.1, NM 025211.2, NM 025211.3, NM 001135953.1, RefSeq:

BC014476, BC014476.1, NM 025211.4

UniProt ID: Q5VSY0

**Summary:** This gene encodes a protein that is highly similar to the mouse cGMP-dependent protein

> kinase anchoring protein 42kDa. The mouse protein has been found to localize with the Golgi and recruit cGMP-dependent protein kinase I alpha to the Golgi in mouse testes. It is thought to play a role in germ cell development. Transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Oct 2008]

These shRNA constructs were designed against multiple splice variants at this gene locus. To shRNA Design:

> be certain that your variant of interest is targeted, please contact techsupport@origene.com. If you need a special design or shRNA sequence, please utilize our custom shRNA service.



## Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).