

Product datasheet for TR305262

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

COQ7 Human shRNA Plasmid Kit (Locus ID 10229)

Product data:

Product Type: shRNA Plasmids

Product Name: COQ7 Human shRNA Plasmid Kit (Locus ID 10229)

Locus ID:

CAT5; CLK-1; CLK1; COQ10D8 Synonyms:

pRS (TR20003) Vector:

E. coli Selection: Ampicillin Mammalian Cell Puromycin

Selection:

Format: Retroviral plasmids

Components: COQ7 - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

10229). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

NM 001190983, NM 016138, NM 016138.1, NM 016138.2, NM 016138.3, NM 016138.4, RefSeq:

> NM 001190983.1, BC043272, BC003185, NR 163450, NM 001370489, NM 001370490, NM 001370493, NM 001370495, NR 163448, NR 163449, NM 001370491, NM 001370492,

NM 001370494, NM 001190983.2, NM 016138.5

UniProt ID: Q99807

Summary: The protein encoded by this gene is similar to a mitochondrial di-iron containing hydroxylase

> in Saccharomyces cerevisiae that is involved with ubiquinone biosynthesis. Mutations in the yeast gene lead to slower development and longer life span. Alternatively spliced transcript

variants have been found for this gene. [provided by RefSeq, Jul 2010]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

> be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our custom shRNA service.







Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).