

Product datasheet for TR312912

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Follistatin (FST) Human shRNA Plasmid Kit (Locus ID 10468)

Product data:

Product Type: shRNA Plasmids

Product Name: Follistatin (FST) Human shRNA Plasmid Kit (Locus ID 10468)

Locus ID:

FS Synonyms:

pRS (TR20003) Vector:

E. coli Selection: **Ampicillin** Mammalian Cell Puromycin

Selection:

Format: Retroviral plasmids

Components: FST - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

10468). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

BC004107, NM 006350, NM 013409, NM 013409.1, NM 013409.2, NM 006350.1, RefSeq:

NM 006350.2, NM 006350.3, BC004107.2, NM 013409.3, NM 006350.4

UniProt ID: P19883

Summary: Follistatin is a single-chain gonadal protein that specifically inhibits follicle-stimulating

> hormone release. The single FST gene encodes two isoforms, FST317 and FST344 containing 317 and 344 amino acids respectively, resulting from alternative splicing of the precursor mRNA. In a study in which 37 candidate genes were tested for linkage and association with polycystic ovary syndrome (PCOS) or hyperandrogenemia in 150 families, evidence was

found for linkage between PCOS and follistatin. [provided by RefSeq, Jul 2008]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

> be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our custom shRNA service.





Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).