

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TR320476

PKC theta (PRKCQ) Human shRNA Plasmid Kit (Locus ID 5588)

Product data:

Product Type:	shRNA Plasmids
Product Name:	PKC theta (PRKCQ) Human shRNA Plasmid Kit (Locus ID 5588)
Locus ID:	5588
Synonyms:	nPKC-theta; PRKCT
Vector:	pRS (TR20003)
E. coli Selection:	Ampicillin
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	PRKCQ - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 5588). 5μg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.
RefSeq:	<u>NM 001242413</u> , <u>NM 001282644</u> , <u>NM 001282645</u> , <u>NM 006257</u> , <u>NM 001323265</u> , <u>NM 001323266</u> , <u>NM 001323267</u> , <u>NM 006257.1</u> , <u>NM 006257.2</u> , <u>NM 006257.3</u> , <u>NM 006257.4</u> , <u>NM 001242413.1</u> , <u>NM 001242413.2</u> , <u>NM 001282645.1</u> , <u>NM 001282644.1</u> , <u>BC101465</u> , <u>BC101465.1</u> , <u>BC113359</u> , <u>BC143222</u> , <u>NM 006257.5</u> , <u>NM 001282644.2</u>
UniProt ID:	<u>Q04759</u>
Summary:	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members. It is a calcium-independent and phospholipid-dependent protein kinase. This kinase is important for T-cell activation. It is required for the activation of the transcription factors NF-kappaB and AP-1, and may link the T cell receptor (TCR) signaling complex to the activation of the transcription factors. [provided by RefSeq, Jul 2008]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

STREAM PRICE THE CONTRACT PRICE PRIC

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US