

Product datasheet for **TR320881**

OTOL1 Human shRNA Plasmid Kit (Locus ID 131149)

Product data:

| | |
|---------------------------|---|
| Product Type: | shRNA Plasmids |
| Product Name: | OTOL1 Human shRNA Plasmid Kit (Locus ID 131149) |
| Locus ID: | 131149 |
| Synonyms: | C1QTNF15; C1QTNF16 |
| Vector: | pRS (TR20003) |
| E. coli Selection: | Ampicillin |
| Mammalian Cell Selection: | Puromycin |
| Format: | Retroviral plasmids |
| Components: | OTOL1 - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 131149). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free. |
| RefSeq: | NM_001080440 , NM_001080440.1 |
| UniProt ID: | A6NHNO |
| Summary: | This gene encodes a secreted glycoprotein with a C-terminal complement Cq1-like globular domain that belongs to the C1q/tumor necrosis factor-related protein (CTRP) family. The encoded protein is expressed in the inner ear and forms a multimeric complex called the otoconia, together with cerebellin-1 and otoconin-90, as part of the otoconial membrane. It contains extensive posttranslational modifications including hydroxylated prolines and glycosylated lysines. Naturally occurring mutations in this gene are associated with abnormal otoconia formation and balance deficits resulting from vestibular dysfunction. [provided by RefSeq, Jul 2017] |
| shRNA Design: | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service . |



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).