

Product datasheet for TR321292

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BTBD19 Human shRNA Plasmid Kit (Locus ID 149478)

Product data:

Product Type: shRNA Plasmids

Product Name: BTBD19 Human shRNA Plasmid Kit (Locus ID 149478)

Locus ID:

Vector: pRS (TR20003)

E. coli Selection: **Ampicillin Mammalian Cell** Puromycin

Selection:

Format: Retroviral plasmids

Components: BTBD19 - Human, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

149478). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

RefSeq: NM 001136537, NM 001136537.1

UniProt ID: C9]]37

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

> be certain that your variant of interest is targeted, please contact techsupport@origene.com. If you need a special design or shRNA sequence, please utilize our custom shRNA service.

Performance

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to **Guaranteed:** correspond to the target gene with 100% identity. One of the four constructs at minimum are

guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must

be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

