

Product datasheet for TR500432

Cry2 Mouse shRNA Plasmid (Locus ID 12953)

Product data:

Product Type: shRNA Plasmids

Product Name: Cry2 Mouse shRNA Plasmid (Locus ID 12953)

Locus ID: 12953

Synonyms: AV006279; D130054K12Rik

Vector: pRS (TR20003)

E. coli Selection: Ampicillin

Mammalian Cell Puromycin

Selection:

Format: Retroviral plasmids

Components: Cry2 - Mouse, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

12953). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

RefSeq: BC054794, BC066799, NM 001113333, NM 009963, NM 009963.1, NM 009963.2,

NM 009963.3, NM 009963.4, NM 001113333.1, BC066799.1, BC006077

UniProt ID: Q9R194

Summary: This gene encodes a flavin adenine dinucleotide-binding protein that is a key component of

the circadian core oscillator complex, which regulates the circadian clock. This gene is

upregulated by Clock/Arntl heterodimers but then represses this upregulation in a feedback loop using Per/Cry heterodimers to interact with Clock/Arntl. Polymorphisms in this gene have been associated with altered sleep patterns. The encoded protein is widely conserved

across plants and animals. [provided by RefSeq, Feb 2014]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).