

## **Product datasheet for TR505235**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Mtus2 Mouse shRNA Plasmid (Locus ID 77521)

**Product data:** 

**Product Type:** shRNA Plasmids

**Product Name:** Mtus2 Mouse shRNA Plasmid (Locus ID 77521)

**Locus ID:** 77521

**Synonyms:** Gm763, AU067634, mKIAA0774, 5730592G18Rik, A730013O20Rik

Vector: pRS (TR20003)

E. coli Selection: Ampicillin

Mammalian Cell Puromycin

Selection:

Format: Retroviral plasmids

Components: Mtus2 - Mouse, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

77521). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

**RefSeq:** NM 001033601, NM 029920, NM 001359503, NM 001359505, NM 001359511, NM 029920.1,

NM 029920.2, NM 029920.3, NM 029920.4, NM 029920.5, NM 029920.6, NM 029920.7,

BC150942, BC055016, BC085194

UniProt ID: Q3UHD3

**Summary:** Binds microtubules. Together with MAPRE1 may target the microtubule depolymerase KIF2C

to the plus-end of microtubules. May regulate the dynamics of microtubules at their growing

distal tip (By similarity).[UniProtKB/Swiss-Prot Function]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact  $\underline{\mathsf{techsupport}} \underline{\mathsf{worigene.com}}.$ 

If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.



## Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).