

Product datasheet for TR512308

Mapk15 Mouse shRNA Plasmid (Locus ID 332110)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	shRNA Plasmids
Product Name:	Mapk15 Mouse shRNA Plasmid (Locus ID 332110)
Locus ID:	332110
Synonyms:	BC048082
Vector:	pRS (TR20003)
E. coli Selection:	Ampicillin
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	Mapk15 - Mouse, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 332110). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.
RefSeq:	BC048082, NM 177922, NM 177922.1, NM 177922.2, BC053920
UniProt ID:	<u>Q80Y86</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE Mapk15 Mouse shRNA Plasmid (Locus ID 332110) – TR512308

	Summary:	Atypical MAPK protein that regulates several process such as autophagy, ciliogenesis, protein trafficking/secretion and genome integrity, in a kinase activity-dependent manner (By similarity) (PubMed:25823377). Controls both, basal and starvation-induced autophagy throught its interaction with GABARAP, MAP1LC3B and GABARAPL1 leading to autophagosome formation, SQSTM1 degradation and reduced MAP1LC3B inhibitory phosphorylation. Regulates primary cilium formation and the localization of ciliary proteins involved in cilium structure, transport, and signaling. Prevents the relocation of the sugar-adding enzymes from the Golgi to the endoplasmic reticulum, thereby restricting the production of sugar-coated proteins. Upon amino-acid starvation, mediates transitional endoplasmic reticulum site disassembly and inhibition of secretion. Binds to chromatin leading to MAPK15 activation and interaction with PCNA, that which protects genomic integrity by inhibiting MDM2-mediated degradation of PCNA. Regulates DA transporter (DAT) activity and protein expression via activation of RhoA. In response to H(2)O(2) treatment phosphorylates ELAVL1, thus preventing it from binding to the PDCD4 3' UTR and rendering the PDCD4 mRNA accessible to miR-21 and leading to its degradation and loss of protein expression (By similarity). Also functions in a kinase activity-independent manner as a negative regulator of growth (By similarity). Phosphorylates in vitro FOS and MBP (By similarity). During oocyte maturation, plays a key role in the microtubule organization and meiotic cell cycle progression in oocytes, fertilized eggs, and early embryos (PubMed:23351492). Interacts with ESRRA promoting its re-localization from the nucleus to the cytoplasm and then prevents its transcriptional activity (By similarity).[UniProtKB/Swiss-Prot Function]
--	----------	--

shRNA Design:These shRNA constructs were designed against multiple splice variants at this gene locus. To
be certain that your variant of interest is targeted, please contact techsupport@origene.com.If you need a special design or shRNA sequence, please utilize our custom shRNA service.

PerformanceOriGene guarantees that the sequences in the shRNA expression cassettes are verified toGuaranteed:correspond to the target gene with 100% identity. One of the four constructs at minimum are
guaranteed to produce 70% or more gene expression knock-down provided a minimum
transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to
evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly
assess knockdown, the gene expression level from the included scramble control vector must
be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US