

Product datasheet for TR514117

Bub3 Mouse shRNA Plasmid (Locus ID 12237)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	shRNA Plasmids
Product Name:	Bub3 Mouse shRNA Plasmid (Locus ID 12237)
Locus ID:	12237
Synonyms:	AU019800; AU021329; AU043350; AW146323; C78067
Vector:	pRS (TR20003)
E. coli Selection:	Ampicillin
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	Bub3 - Mouse, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 12237). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.
RefSeq:	BC025089, NM 009774, NM 009774.1, NM 009774.2, NM 009774.3, NM 009774.4, BC086790
UniProt ID:	<u>Q9WVA3</u>
Summary:	This gene encodes a component of the mitotic spindle assembly complex. The encoded protein is involved in the regulation of chromosome segregation during oocyte meiosis. Disruption of this gene results in the accumulation of mitotic errors and is lethal in the embryonic stage. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2015]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Bub3 Mouse shRNA Plasmid (Locus ID 12237) – TR514117

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US