

## Product datasheet for **TR514819**

### Ears2 Mouse shRNA Plasmid (Locus ID 67417)

#### Product data:

Product Type:	shRNA Plasmids
Product Name:	Ears2 Mouse shRNA Plasmid (Locus ID 67417)
Locus ID:	67417
Synonyms:	3230401I01Rik; mKIAA1970
Vector:	pRS (TR20003)
E. coli Selection:	Ampicillin
Mammalian Cell Selection:	Puromycin
Format:	Retroviral plasmids
Components:	Ears2 - Mouse, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID = 67417). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.
RefSeq:	<a href="#">BC025907</a> , <a href="#">NM_026140</a> , <a href="#">NM_026140.1</a> , <a href="#">NM_026140.2</a> , <a href="#">NM_026140.3</a>
UniProt ID:	<a href="#">Q9CXJ1</a>
Summary:	This gene encodes a putative member of the class I family of aminoacyl-tRNA synthetases. These enzymes play a critical role in protein biosynthesis by charging tRNAs with their cognate amino acids. This protein is encoded by the nuclear genome but is likely to be imported to the mitochondrion where it is thought to catalyze the ligation of glutamate to tRNA molecules. Mutations in a similar gene in human have been associated with combined oxidative phosphorylation deficiency 12 (COXPD12). [provided by RefSeq, Mar 2015]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).