

## Product datasheet for TR708469

## Usp21 Rat shRNA Plasmid (Locus ID 688466)

## **Product data:**

**Product Type:** shRNA Plasmids

**Product Name:** Usp21 Rat shRNA Plasmid (Locus ID 688466)

Locus ID: 688466

MGC187584 Synonyms:

Vector: pRS (TR20003)

E. coli Selection: Ampicillin Mammalian Cell

Selection:

Puromycin

Format: Retroviral plasmids

Components: Usp21 - Rat, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =

688466). 5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.

NM 001127638, NM 001127638.1, BC166443 RefSeq:

**UniProt ID:** B2GUX4

Deubiquitinates histone H2A, a specific tag for epigenetic transcriptional repression, thereby **Summary:** 

acting as a coactivator. Deubiquitination of histone H2A releaves the repression of di- and trimethylation of histone H3 at 'Lys-4', resulting in regulation of transcriptional initiation. Regulates gene expression via histone H2A deubiquitination. Also capable of removing NEDD8 from NEDD8 conjugates but has no effect on Sentrin-1 conjugates. Deubiquitinates

BAZ2A/TIP5 leading to its stabilization.[UniProtKB/Swiss-Prot Function]

These shRNA constructs were designed against multiple splice variants at this gene locus. To shRNA Design:

> be certain that your variant of interest is targeted, please contact techsupport@origene.com. If you need a special design or shRNA sequence, please utilize our custom shRNA service.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).