

# Product datasheet for TR710279

## Kcna3 Rat shRNA Plasmid (Locus ID 29731)

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type:                | shRNA Plasmids   |
|------------------------------|--|
| Product Name:                | Kcna3 Rat shRNA Plasmid (Locus ID 29731)   |
| Locus ID:                    | 29731  |
| Vector:                      | pRS (TR20003)  |
| E. coli Selection:           | Ampicillin   |
| Mammalian Cell<br>Selection: | Puromycin  |
| Format:                      | Retroviral plasmids  |
| Components:                  | Kcna3 - Rat, 4 unique 29mer shRNA constructs in retroviral untagged vector(Gene ID =<br>29731). 5µg purified plasmid DNA per construct<br>29-mer scrambled shRNA cassette in pRS Vector, TR30012, included for free.   |
| RefSeq:                      | <u>NM 019270, NM 019270.1, NM 019270.2, NM 019270.3</u>  |
| UniProt ID:                  | <u>P15384</u>  |
| Summary:                     | encodes a lymphocyte potassium channel [RGD, Feb 2006]   |
| shRNA Design:                | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> .<br>If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> . |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** Kcna3 Rat shRNA Plasmid (Locus ID 29731) – TR710279

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., <u>9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US</u>