

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TS414301

Eph receptor B1 (EPHB1) CytoSection

Product data:

Description:Transient overexpression of EPHB1 in HEK293T cells, FFPE control for IHC, ICC and ISH staining, 25 slides per packSpecies:HumanExpression Host:HEK293TExpression cDNA Clone or AA Sequence:TrueORF Clone RC214301Tag:C-MYC/DKDetection Antibodis:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:Mn 004441, NP 004432Synonyms:EkK: EPHT2; Hek6; NETStorage:Room TemperatureStability:Room Temperatureorder of paration:HEK293T cells were transiently transfected with TrueORF cDNA plasmid, Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & dehydrated before embedding in paraffin. 5 µm sections of hormalin & diagnosis.Freese:NP 004432NP 004432 <th>Product Type:</th> <th>CytoSections</th>	Product Type:	CytoSections
Fxpression Host:HEK293TExpression cDNA CloneTrueORF Clone RC214301or AA Sequence:C-MYC/DDKTag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 004441, NP 004432Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul and mounted on positively charged SuperFrost slides.Note:NP 004432Locus ID:2047Qtogenetics:3q22.2Protein Families:Truggable Genome, Protein Kinase, Transmembrane	Description:	·
ArboresianTrueORF Clone RC214301Tag:C-MYC/DDKDetection Antibodise:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 004441, NP 004432Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:NP 004432Iocus ID:047Cytogenetics:3q22.2Protein Families:Druggabe Genome, Protein Kinase, Transmembrane	Species:	Human
or AA Sequence:Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 004441, NP 004432Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Sildes are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul and mounted on positively charged SuperFrost slides.Note:NP 004432KefSeq:NP 004432Quogenetics:047Kotgenetics:3q22.2Protein Families:Truggable Genome, Protein Kinase, Transmembrane	Expression Host:	HEK293T
Detection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 004441, NP 004432Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Sildes are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:Nip pod4432KefSeq:NP 004432Locus ID:2047Question:3q22.2Protein Families:Jruggable Genome, Protein Kinase, Transmembrane	•	TrueORF Clone RC214301
ACCN:NM 004441, NP 004432Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:Nis product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Gytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Tag:	C-MYC/DDK
Synonyms:ELK; EPHT2; Hek6; NETStorage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 μm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Detection Antibodies:	DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)
Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	ACCN:	<u>NM 004441, NP 004432</u>
Stability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Synonyms:	ELK; EPHT2; Hek6; NET
followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Storage:	Room Temperature
were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 004432Locus ID:2047Gytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Stability:	
diagnosis.RefSeq:NP 004432Locus ID:2047Quagestics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Preparation:	were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 μ m sections of the FFPE cell pellet blocks are cut
Locus ID:2047Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	Note:	
Cytogenetics:3q22.2Protein Families:Druggable Genome, Protein Kinase, Transmembrane	RefSeq:	<u>NP 004432</u>
Protein Families: Druggable Genome, Protein Kinase, Transmembrane	Locus ID:	2047
	Cytogenetics:	3q22.2
Protein Pathways: Axon guidance	Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
	Protein Pathways:	Axon guidance



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US