

EARCH

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TS418481

MAP3K4 CytoSection

Product data:

| Description:Transient overexpression of MAP3K4, transcript variant 1, in HEK293T cells, FFPE control for HC, ICC and ISH staining, 5 slides per packSpecies:HumanExpression Host:HEK293TExpression cDNA Clone or AA Sequence:TrueORF Clone RC218481Tag:C-MYC/DDKDetection Antibodis:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 005922, NP 005913Synonyms:MAPKKK4; MEKK4; MTK1; PR00412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFFE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:NP 005913Locus ID:4216Cytogenetics:Gq26Protein Families:Orugable Genome, Protein KinaseProtein Pathways:GnRH signaling pathway, MAPK signaling pathway | Product Type: | CytoSections |
|---|------------------------------|---|
| Fxpression Host:HEK293TExpression cDNA ClonerueORF Clone RC218481or AA Sequence:C-MYC/DDKTag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 005922, NP 005913Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:NP 005913KefSeq:NP 005913Locus ID:4216Gytogenetics:6q26Protein Families:Truggable Genome, Protein Kinase | Description: | · · · |
| Arboresion cDNA Clone or AA Sequence:TrueORF Clone RC218481Tag:C-MYC/DDKDetection Antibodise:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 005922, NP 005913Synonyms:MAPKKK4; MEKK4; MKK1; PRO0412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:NP 005913Gresen:NP 005913Locus ID:4216Gytogenetics:626Protein Families:Druggable Genome, Protein Kinase | Species: | Human |
| or AA Sequence:Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 005922, NP 005913Synonyms:MAPKKK4; MEKK 4; MEKK4; MTK1; PR00412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul and mounted on positively charged SuperFrost slides.Note:NP 005913RefSeq:NP 005913Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Expression Host: | HEK293T |
| Detection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 005922, NP 005913Synonyms:MAPKKK4; MEKK 4; MEKK4; MTK1; PR00412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:Nip podsp13RefSeq:NP 005913Locus ID:4216Gytogenetics:Gq26Protein Families:Druggable Genome, Protein Kinase | • | TrueORF Clone RC218481 |
| ACCN:NM 005922, NP 005913Synonyms:MAPKKK4; MEKK 4; MEKK4; MTK1; PR00412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Gytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Tag: | C-MYC/DDK |
| Synonyms:MAPKKK4; MEKK 4; MEKK4; MTK1; PRO0412Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Gytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Detection Antibodies: | DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569) |
| Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | ACCN: | <u>NM 005922, NP 005913</u> |
| Stability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Synonyms: | MAPKKK4; MEKK 4; MEKK4; MTK1; PRO0412 |
| followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Storage: | Room Temperature |
| were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 005913Locus ID:4216Gytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Stability: | |
| diagnosis.RefSeq:NP 005913Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Preparation: | were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 μ m sections of the FFPE cell pellet blocks are cut |
| Locus ID:4216Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | Note: | |
| Cytogenetics:6q26Protein Families:Druggable Genome, Protein Kinase | RefSeq: | <u>NP 005913</u> |
| Protein Families: Druggable Genome, Protein Kinase | Locus ID: | 4216 |
| | Cytogenetics: | 6q26 |
| Protein Pathways: GnRH signaling pathway, MAPK signaling pathway | Protein Families: | Druggable Genome, Protein Kinase |
| | Protein Pathways: | GnRH signaling pathway, MAPK signaling pathway |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US