

Product datasheet for **TS422485**


ALK CytoSection

Product data:


Product Type:	CytoSections
Description:	Transient overexpression of ALK in HEK293T cells, FFPE control for IHC, ICC and ISH staining, 25 slides per pack
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	TrueORF Clone RC222485
Tag:	C-MYC/DDK
Detection Antibodies:	Clone OTI4C5, Anti-DDK (FLAG) monoclonal antibody (TA50011-100)
Target Detection Antibodies:	ALK Mouse Monoclonal Antibody [Clone ID: OTI1A4] (TA801287)
ACCN:	NM_004304 , NP_004295
Synonyms:	CD246; NBLST3
Storage:	Room Temperature
Stability:	Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.
Preparation:	HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.
Note:	This product is for research use only and is not approved for use in humans or in clinical diagnosis.
RefSeq:	NP_004295
Locus ID:	238
Cytogenetics:	2p23.2-p23.1
Protein Families:	Druggable Genome, Protein Kinase




[View online »](#)

Product images:


H&E staining of ALK overexpressed cytosection (TS422485), HEK293T cells were transfected with cDNA clone [RC222485], 4um sections, 10x magnification



H&E staining of ALK overexpressed cytosection (TS422485), HEK293T cells were transfected with cDNA clone [RC222485], 4um sections, 40x magnification



Immunohistochemistry staining on ALK overexpressed cytosection (TS422485) with mouse anti DDK clone 11C3 C/N [TA180144] at 1:1000 dilution 4C O/N. Antibody staining was achieved with HIER Tris/EDTA pH9 for 20minutes, Polink2 detection system with DAB chromogen ([D22-18]). Positive stain shown with the brown chromogen present. HEK293T cells were transfected with cDNA clone [RC222485], 4um sections, 40x magnification



Immunohistochemistry staining on HEK293T untransfected control section screened with mouse anti-DDK clone 11C3 ([TA180144]) at 1:1000 dilution 4C O/N. Antibody staining was achieved with HIER Tris/EDTA pH9 for 20minutes, Polink2 detection system with DAB chromogen ([D22-18]). No brown chromogen showing negative stain.