

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for TS423478

## **Dopamine Receptor D3 (DRD3) CytoSection**

## **Product data:**

Description:Transient overexpression of DRD3, transcript variant e, in HEK293T cells, FFPE control for IHC, ICC and ISH staining, 5 slides per packSpecies:HumanExpression Host:HEK293TExpression cDNA Clone or AA Sequence:TrueORF Clone RC223478Tag:C-MYC/DDKDetection Antibodis:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 033663. NP 387512Storage:Room TemperatureStability:Dides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cul- and mounted on positively charged SuperFrost slides.Note:Nis product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:314Protein Families:Orugable Genome, GPCR, TransmembraneProtein Families:Disgable Genome, GPCR, Transmembrane	Product Type:	CytoSections
Fxpression Host:HEK293TExpression cDNA Clone or AA Sequence:TrueORF Clone RC223478Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 033663 NP 387512Synonyms:D3DR; ETM1; FET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:NP 387512Locus ID:1814Cytogenetics:3(13.31Protein Families:Drugable Genome, GPCR, Transmembrane	Description:	
Arression cDNA CloneTrueORF Clone RC223478Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 033663 NP 387512Synonyms:D3DR; ETM1; FET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEX293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:NB 387512Icous ID:1814Cytogenetics:3(13.1)Protein Families:Drugable Genome, GPCR, Transmembrane	Species:	Human
or AA Sequence:Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 033663, NP 387512Synonyms:D3DR; ETM1; FET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were folowed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Drugable Genome, GPCR, Transmembrane	Expression Host:	HEK293T
Detection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 033663, NP 387512Synonyms:D3DR; ETM1; FET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:Ni s product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	•	TrueORF Clone RC223478
ACCN:NM 033663, NP 387512Synonyms:D3DR; ETM1; EET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Tag:	C-MYC/DDK
Synonyms:D3DR; ETM1; FET1Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Detection Antibodies:	DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)
Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	ACCN:	<u>NM 033663, NP 387512</u>
Stability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Synonyms:	D3DR; ETM1; FET1
followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Storage:	Room Temperature
were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Stability:	
diagnosis.RefSeq:NP 387512Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Preparation:	were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 $\mu$ m sections of the FFPE cell pellet blocks are cut
Locus ID:1814Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	Note:	
Cytogenetics:3q13.31Protein Families:Druggable Genome, GPCR, Transmembrane	RefSeq:	<u>NP 387512</u>
Protein Families: Druggable Genome, GPCR, Transmembrane	Locus ID:	1814
	Cytogenetics:	3q13.31
Protein Pathways: Neuroactive ligand-receptor interaction	Protein Families:	Druggable Genome, GPCR, Transmembrane
	Protein Pathways:	Neuroactive ligand-receptor interaction



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US