

Product datasheet for TS432475P5

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRKACB CytoSection

Product data:

Product Type: CytoSections

Description: Transient overexpression of PRKACB, transcript variant 8, in HEK293T cells, FFPE control for

IHC, ICC and ISH staining, 25 slides per pack

Species: Human
Expression Host: HEK293T

Expression cDNA Clone

or AA Sequence:

TrueORF Clone RC232475

Tag: C-MYC/DDK

Detection Antibodies: DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)

ACCN: <u>NM 001242861</u>, <u>NP 001229790</u>

Synonyms: CAFD2; PKA C-beta; PKACB

Storage: Room Temperature

Stability: Slides are guaranteed for a year from the date of receipt if proper storage instructions were

followed.

Preparation: HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells

were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin &

dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut

and mounted on positively charged SuperFrost slides.

Note: This product is for research use only and is not approved for use in humans or in clinical

diagnosis.

RefSeg: NP 001229790

Locus ID: 5567 Cytogenetics: 1p31.1

Protein Families: Druggable Genome, Protein Kinase





Protein Pathways:

Apoptosis, Calcium signaling pathway, Chemokine signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling pathway, Hedgehog signaling pathway, Insulin signaling pathway, Long-term potentiation, MAPK signaling pathway, Melanogenesis, Olfactory transduction, Oocyte meiosis, Prion diseases, Progesterone-mediated oocyte maturation, Taste transduction, Vascular smooth muscle contraction, Vibrio cholerae infection, Wnt signaling pathway