

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TS434560P5

NUR77 (NR4A1) CytoSection

Product data:

Description:Transient overexpression of NR4A1, transcript variant 3, in HEK293T cells, FFPE control for IHC, ICC and ISH staining, 25 slides per packSpecies:HumanExpression Host:HEK293TExpression cDNA Clone or AA Sequence:TrueORF Clone RC234560Tag:C-MYC/DDKDetection Antibodies:DK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 001202233 NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room Temperature followed.Stability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Note:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:No 01189162Locus ID:3164Cytogenetics:104313Protein Families:Drugable Genome, Nuclear Hormone Receptor, Transcription FactorsProtein Pathways:MAPK signaling pathway	Product Type:	CytoSections
Expression Host:HEK293TExpression cDNA CloopTrueORF Clone RC234560or AA Sequence:TrueORF Clone RC234560Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACN:MM 001202233, NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalina & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalina & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalina & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. After harvesting, the cultured cells were fixed in formalina & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cultured for 48hrs. Aft	Description:	
Arspession cDNA Clone or AA Sequence:TrueORF Clone RC234560Tag:C-MYC/DDKDetection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 001202233, NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 49 hers. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:NP 001189162Locus ID:3164Custos ID:12q1313Protein Families:Druggabe Genome, Nuclear Hormone Receptor, Transcription Factors	Species:	Human
or AA Sequence:Tag:C-MYC/DDKDetection Antibodise:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:MM 001202233, NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid, Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & adhydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:Nb out189162Locus ID:3164Cytogenetics:12q13.13Pretein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Expression Host:	HEK293T
Detection Antibodies:DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)ACCN:NM 001202233, NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:Note:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	•	TrueORF Clone RC234560
ACCN:NM 001202233, NP 001189162Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Tag:	C-MYC/DDK
Synonyms:GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Detection Antibodies:	DDK Rabbit monoclonal antibody, recognizing both N- and C-terminal tags (TA592569)
Storage:Room TemperatureStability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	ACCN:	<u>NM 001202233, NP 001189162</u>
Stability:Slides are guaranteed for a year from the date of receipt if proper storage instructions were followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Synonyms:	GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3
followed.Preparation:HEK293T cells were transiently transfected with TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 μm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Storage:	Room Temperature
were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 µm sections of the FFPE cell pellet blocks are cut and mounted on positively charged SuperFrost slides.Note:This product is for research use only and is not approved for use in humans or in clinical diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Stability:	
diagnosis.RefSeq:NP 001189162Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Preparation:	were cultured for 48hrs. After harvesting, the cultured cells were fixed in formalin & dehydrated before embedding in paraffin. 5 μ m sections of the FFPE cell pellet blocks are cut
Locus ID:3164Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Note:	
Cytogenetics:12q13.13Protein Families:Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	RefSeq:	<u>NP 001189162</u>
Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors	Locus ID:	3164
	Cytogenetics:	12q13.13
Protein Pathways: MAPK signaling pathway	Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
	Protein Pathways:	MAPK signaling pathway



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US