

Product datasheet for UM570101

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

BID Mouse Monoclonal Antibody [Clone ID: UMAB139]

Product data:

Product Type: Primary Antibodies

Clone Name: UMAB139
Applications: IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:200

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human BID(NP_001187) produced in HEK293T cell.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 0.5~1.0 mg/ml (Lot Dependent)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: BH3 interacting domain death agonist

Database Link: NP 001187

Entrez Gene 637 Human

P55957

Background: This gene encodes a death agonist that heterodimerizes with either agonist BAX or

antagonist BCL2. The encoded protein is a member of the BCL-2 family of cell death regulators. It is a mediator of mitochondrial damage induced by caspase-8 (CASP8); CASP8 cleaves this encoded protein, and the COOH-terminal part translocates to mitochondria where it triggers cytochrome c release. Multiple alternatively spliced transcript variants have been found, but the full-length nature of some variants has not been defined. [provided by

RefSeq, Jul 2008]

Synonyms: FP497






Protein Families: Druggable Genome


Protein Pathways: Alzheimer's disease, Amyotrophic lateral sclerosis (ALS), Apoptosis, Natural killer cell

mediated cytotoxicity, p53 signaling pathway, Pathways in cancer, Viral myocarditis

Product images:





Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human breast tissue using anti-BID mouse monoclonal antibody. ([UM500101], heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)



Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-BID mouse monoclonal antibody. ([UM500101], heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)









Immunohistochemical staining of paraffinembedded human kidney carcinoma using BID clone UMAB139, mouse monoclonal antibody at 1:100 dilution of 1mg/mL using Polink2 Broad HRP DAB for detection. [UM500101] requires heat-induced epitope retrieval with Citrate pH6.0 at 110°C for 3min using pressure chamber/cooker. The image shows strong nuclear, membranous, and cytoplasmic staining in the tumor cells.

Immunohistochemical staining of paraffinembedded human melanoma using BID clone UMAB139, mouse monoclonal antibody at 1:100 dilution of 1mg/mL using Polink2 Broad HRP DAB for detection. [UM500101] requires heat-induced epitope retrieval with Citrate pH6.0 at 110°C for 3min using pressure chamber/cooker. The image shows strong nuclear, membranous, and cytoplasmic staining in the tumor cells.




Immunohistochemical staining of paraffinembedded of 3 human colon cancers using anti-BID clone UMAB139 mouse monoclonal antibody at 1:200 dilution of 0.6mg/mL and detection with Polink2 Broad HRP DAB. [UM500101] requires heat-induced epitope retrieval with citrate pH6.0 at 95-100C 20 minutes. The composit image of 3 colon cancers labeled A, B, and C shows strong membranous and cytoplasmic staining in >75 % of tumor cells and image A and B shows <10% nuclear stain.






Western blot analysis of HEK293 cell lysate (35ug) by using anti-BID monoclonal antibody.

Western blot analysis of COLO205 cell lysate (35ug) by using anti-BID monoclonal antibody.



Western blot analysis of extracts (10ug) from 10 Human tissue by using anti-BID monoclonal antibody at 1:500 (1: Testis; 2: Omentum; 3: Uterus; 4: Breast; 5: Brain; 6: Liver; 7: Ovary; 8: Thyroid gland; 9: colon;10: spleen).





Western blot analysis of DU145 cell lysate (35ug) by using anti-BID monoclonal antibody [UM500101]