

Product datasheet for UM570107

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Desmin (DES) Mouse Monoclonal Antibody [Clone ID: UMAB166]

Product data:

Product Type: Primary Antibodies

Clone Name: UMAB166
Applications: IF, IHC, WB
Recommended Dilution: IHC 1:200

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombiant protein of human DES(NP_001918) produced in E.coli.

Formulation: PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

Concentration: 1 mg/ml

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 53.4 kDa

Gene Name: desmin

Database Link: NP 001918

Entrez Gene 13346 MouseEntrez Gene 64362 RatEntrez Gene 1674 Human

P17661

Background: This gene encodes a muscle-specific class III intermediate filament. Homopolymers of this

protein form a stable intracytoplasmic filamentous network connecting myofibrils to each other and to the plasma membrane. Mutations in this gene are associated with desminrelated myopathy, a familial cardiac and skeletal myopathy (CSM), and with distal myopathies.

[provided by RefSeq, Jul 2008]

Synonyms: CSM1; CSM2; LGMD2R






Protein Families: Druggable Genome


Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Dilated cardiomyopathy,

Hypertrophic cardiomyopathy (HCM)

Product images:




Immunohistochemical staining of paraffinembedded Carcinoma of Human prostate tissue using anti-DES mouse monoclonal antibody. ([UM500107], heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)




Immunohistochemical staining of paraffinembedded Human adult heart tissue using anti-DES mouse monoclonal antibody. ([UM500107], heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)





Western blot of human tissue lysates (15ug) from colon. Diluation: 1:500.



Immunofluorescent staining of HeLa cells using anti-DES mouse monoclonal antibody ([UM500107], green, 1:50). Actin filaments were labeled with Alexa Fluor® 594 Phalloidin (red), and nuclear with DAPI (blue). Scale bar, 20µm.