

Product datasheet for UM800063CF

GLI1 Mouse Monoclonal Antibody [Clone ID: UMAB170]

Product data:

Product Type:	Primary Antibodies
Clone Name:	UMAB170
Applications:	10k-ChIP, IF, IHC, WB
Recommended Dilution:	IHC 1:100~200
Reactivity:	Human, Mouse, Rat
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 1-410 of human GLI1 (NP_005260) produced in E.coli.
Formulation:	Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)
Reconstitution Method:	For reconstitution, we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	117.7 kDa
Gene Name:	GLI family zinc finger 1
Database Link:	<u>NP_005260</u> <u>Entrez Gene 14632 MouseEntrez Gene 2735 Human</u> <u>P08151</u>



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


	GLI1 Mouse Monoclonal Antibody [Clone ID: UMAB170] – UM800063CF
Background:	This gene encodes a member of the Kruppel family of zinc finger proteins. The encoded transcription factor is activated by the sonic hedgehog signal transduction cascade and regulates stem cell proliferation. The activity and nuclear localization of this protein is negatively regulated by p53 in an inhibitory loop. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2009]
Synonyms:	GLI
Protein Families	: Adult stem cells, Cancer stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Stem cell relevant signaling - DSL/Notch pathway, Transcription Factors
Protein Pathway	/s: Basal cell carcinoma, Hedgehog signaling pathway, Pathways in cancer

Product images:



Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human colon tissue using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)


Immunohistochemical staining of paraffinembedded Human Kidney tissue using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heatinduced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)



Immunohistochemical staining of paraffinembedded Carcinoma of Human lung tissue using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)

Immunohistochemical staining of paraffinembedded Carcinoma of Human bladder tissue using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)


Immunohistochemical staining of paraffinembedded Human tonsil using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)



Immunohistochemical staining of paraffinembedded Human melanoma tissue using anti-GLI1 mouse monoclonal antibody. ([UM800063]; heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.0, 120°C for 3min)




Western blot of cell lysates (35ug) from 9 different cell lines (1: HepG2, 2: HeLa, 3: SV-T2, 4: A549. 5: COS7, 6: Jurkat, 7: MDCK, 8: PC-12, 9: MCF7).



Immunofluorescent staining of HeLa cells using anti-GLI1 mouse monoclonal antibody ([UM800063], green, 1:50). Actin filaments were labeled with Alexa Fluor® 594 Phalloidin (red), and nuclear with DAPI (blue). Scale bar, 20µm.





OriGene overexpression protein microarray chip was immunostained with UltraMAB anti-GLI1 mouse monoclonal antibody ([UM800063]). The positive reactive proteins are highlighted with two red arrows in the enlarged subarray. All the positive controls spotted in this subarray are also labeled for clarification.