

Product datasheet for **UM800187**


Calretinin (CALB2) Mouse Monoclonal Antibody [Clone ID: UMAB305]

Product data:


| | |
|-------------------------|--|
| Product Type: | Primary Antibodies |
| Clone Name: | UMAB305 |
| Applications: | IHC |
| Recommended Dilution: | IHC 1:200 |
| Reactivity: | Human |
| Host: | Mouse |
| Isotype: | IgG2a |
| Clonality: | Monoclonal |
| Immunogen: | Full length human recombinant protein of human Calretinin(CALB2) (NP_001731) produced in E.coli. |
| Formulation: | PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide. |
| Concentration: | 1.00mg/ml |
| Purification: | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G) |
| Conjugation: | Unconjugated |
| Predicted Protein Size: | 31.6 kDa |
| Gene Name: | calbindin 2 |
| Database Link: | NP_001731 Entrez Gene 794 Human P22676 |
| Background: | This gene encodes an intracellular calcium-binding protein belonging to the troponin C superfamily. Members of this protein family have six EF-hand domains which bind calcium. This protein plays a role in diverse cellular functions, including message targeting and intracellular calcium buffering. It also functions as a modulator of neuronal excitability, and is a diagnostic marker for some human diseases, including Hirschsprung disease and some cancers. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2010] |
| Synonyms: | CAB29; CAL2; CR |




[View online »](#)

Product images:

IHC staining of FFPE human appendix tissue with in the normal limits using anti-Calretinin(CALB2) mouse monoclonal antibody (UM800187) and Polink-2 HRP polymer detection kit ([D22-110]). Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 ([B04C-100]) at 120°C for 3 min. The brown stain indicates positive stain, blue is the counter stain.



IHC staining of FFPE human adrenal gland tissue with in the normal limits using anti-Calretinin(CALB2) mouse monoclonal antibody (UM800187) and Polink-2 HRP polymer detection kit ([D22-110]). Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 ([B04C-100]) at 120°C for 3 min. The brown stain indicates positive stain, blue is the counter stain.



IHC staining of FFPE human mesothelioma tissue using anti-Calretinin(CALB2) mouse monoclonal antibody (UM800187) and Polink-2 HRP polymer detection kit ([D22-110]). Heat-induced epitope retrieval by EDTA solution buffer pH 8.0 ([B04C-100]) at 120°C for 3 min. The brown stain indicates positive stain, blue is the counter stain.