

## Product datasheet for UM870164

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Parathyroid Hormone (PTH) Mouse Monoclonal Antibody [Clone ID: UMAB274]

#### **Product data:**

Isotype:

**Product Type:** Primary Antibodies

Clone Name: UMAB274

Applications: IHC

Recommended Dilution: IHC 1:4000

Reactivity: Human Host: Mouse

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 32-115 of human PTH

(NP\_000306) produced in E.coli.

**Formulation:** PBS (pH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.

**Concentration:** 0.5~1.0 mg/ml (Lot Dependent)

lgG2b

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 12.86 kDa

**Gene Name:** parathyroid hormone

Database Link: NP 000306

Entrez Gene 5741 Human

P01270





### Parathyroid Hormone (PTH) Mouse Monoclonal Antibody [Clone ID: UMAB274] - UM870164

**Background:** This gene encodes a member of the parathyroid family of proteins. The encoded


preproprotein is proteolytically processed to generate a protein that binds to the parathyroid hormone/parathyroid hormone-related peptide receptor and regulates blood calcium and phosphate levels. Excess production of the encoded protein, known as hyperparathyroidism, can result in hypercalcemia and kidney stones. On the other hand, defective processing of the encoded protein may lead to hypoparathyroidism, which can result in hypocalcemia and numbness. Alternative splicing results in multiple transcript variants. [provided by RefSeq,

Oct 2015]

Synonyms: FIH1; PTH1

**Protein Families:** Druggable Genome, Secreted Protein

# **Product images:**



Immunohistochemical staining of paraffinembedded Human gley's glands tissue within the normal limits using anti-PTH mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.0) at 120°C for 2.5 min, [UM800164]) (1:4000)