


# Product datasheet for VC100595

### HCoV-NL63 E Gene Tagged ORF Clone

#### **Product data:**

	Sgfi ORF N	llu l
Cloning Scheme:	Cloning sites used for ORF Shuttling:	
<b>Restriction Sites:</b>	Sgfl-Mlul	
E. coli Selection:	Kanamycin (25 ug/mL)	
Vector:	pCMV6-Entry (PS100001)	
Mammalian Cell Selection:	Neomycin	
Symbol:	envelope protein	
Tag:	Myc-DDK	
Product Name:	HCoV-NL63 E Gene Tagged ORF Clone	
Product Type:	Expression Plasmids	



ACG CGT

GCGATOGO

\* The last codon before the Stop codon of the ORF

NC\_005831

231 bp

ACCN: ORF Size:

## https://www.origene.com

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

**OriGene Technologies, Inc.** 

Rockville, MD 20850, US Phone: +1-888-267-4436

9620 Medical Center Drive, Ste 200



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **CRIGENE** HCoV-NL63 E Gene Tagged ORF Clone – VC100595

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone can be viewed by clicking the "ORF Nucleotide Sequence" link above. This sequence represents the NCBI reference after codon optimization for human cell expression, and retaining the same decoded protein sequence. The stop codon in the native sequence was removed to create the in-frame c-terminal fusion with a Myc-DDK tag.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NC 005831.2, YP 003769</u>
RefSeq ORF:	231 bp
RefSeq ORF: Locus ID:	231 bp 2943502

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US