

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for VC102189

3B (VPg) mature peptide (NC_001489) Virus Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	3B (VPg) mature peptide (NC_001489) Virus Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	3B (VPg) mature peptide
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>The Viral ORF clone VC102189 represents NCBI reference of NP_740557 with codon optimized for human cell expression Red=Cloning site Blue=ORF Green=Tags(s) GACGTTGTATACGACTCCTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC</pre>
	ATGGGAGTCTATCACGGCGTGACTAAGCCTAAACAGGTGATCAAACTCGACGCTGACCCAGTGGAAAGCC AG ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA
Protein Sequence:	>VC102189 representing NP_740557 Red=Cloning sites Green=Tags
	MGVYHGVTKPKQVIKLDADPVESQ
	TRTRRLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	SgfI-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Cloning Scheme:



* The last codon before the Stop codon of the ORF

uence of this clone can be viewed by clicking the "ORF Nucleotide ove. This sequence represents the NCBI reference after codon optimization ression, and retaining the same decoded protein sequence. The stop e sequence was removed to create the in-frame c-terminal fusion with a n-exchange column purified and shipped in a 2D barcoded Matrix tube transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). 00xg for 5min. ne tube and add 100ul of sterile water to dissolve the DNA. nd incubate for 10 minutes at room temperature.
we. This sequence represents the NCBI reference after codon optimization ression, and retaining the same decoded protein sequence. The stop e sequence was removed to create the in-frame c-terminal fusion with a n-exchange column purified and shipped in a 2D barcoded Matrix tube transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). 00xg for 5min. he tube and add 100ul of sterile water to dissolve the DNA.
we. This sequence represents the NCBI reference after codon optimization ression, and retaining the same decoded protein sequence. The stop e sequence was removed to create the in-frame c-terminal fusion with a n-exchange column purified and shipped in a 2D barcoded Matrix tube transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). 00xg for 5min. he tube and add 100ul of sterile water to dissolve the DNA.
transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). 00xg for 5min. ne tube and add 100ul of sterile water to dissolve the DNA.
ne tube and add 100ul of sterile water to dissolve the DNA.
e tube and then do a quick spin (less than 5000xg) to concentrate the liquid nded plasmid at -20°C. The DNA is stable for at least one year from date of red at -20°C.
40557

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

3B (VPg) mature peptide (NC_001489) Virus Tagged ORF Clone – VC102189

MW:

2.6 kDa

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US