

Product datasheet for AM08158BT-N

CD8A Mouse Monoclonal Antibody [Clone ID: RFT-8]

Product data:

Product Type: Primary Antibodies

Clone Name: RFT-8
Applications: FC

Recommended Dilution: Flow Cytometry: 10 µL/10e6 cells.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Specificity: This antibody recognizes CD8.

Formulation: PBS containing 0.09% Sodium Azide as preservative.

Label: Biotin

State: Liquid purified Ig fraction.

Conjugation: Biotin

Storage: Store the antibody undiluted at 2-8°C for one month or in (aliquots) at -20°C for longer.

This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: CD8a molecule

Database Link: Entrez Gene 925 Human

P01732

Background: The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that

mediates efficient cell to cell interactions within the immune system. The CD8 antigen, acting as a coreceptor, and the T cell receptor on the T lymphocyte recognize antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional coreceptor is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. CD8 functions primarily as a coreceptor

with MHC Class I-restricted TCR's in antigen recognition. (Ref.1-2)



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



CD8A Mouse Monoclonal Antibody [Clone ID: RFT-8] - AM08158BT-N

Synonyms: CD8 alpha chain, CD8A, MAL

Protein Families: Adult stem cells, Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein,

Transmembrane

Protein Pathways: Antigen processing and presentation, Cell adhesion molecules (CAMs), Hematopoietic cell

lineage, Primary immunodeficiency, T cell receptor signaling pathway