

Product datasheet for AM33275PU-T

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CEACAM5 Mouse Monoclonal Antibody [Clone ID: SPM551]

Product data:

Product Type: Primary Antibodies

Clone Name: SPM551

Applications: FC, IF, IHC, IP, WB

Recommended Dilution: ELISA: Use Antibody without BSA for Coating.

Western Blot: 0.5-1 µg/ml.

Flow Cytometry: $0.5-1 \mu g/10^6$ cells. Immunofluorescence: $0.5-1 \mu g/ml$.

Immunoprecipitation: 1-2 μg/500 μg protein.

Immunohistochemistry on Frozen and Formalin-Fixed Paraffin Sections: 0.5-1 $\mu g/ml$ for

30 min at RT.

Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate Buffer, pH

6.0, for 10-20 min followed by cooling at RT for 20 minutes. **Postive Control:** MCF7 or 293T cells, Colon Carcinoma.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant CEA protein

Specificity: This antibody recognizes proteins of 80-200kDa, identified as different members of CEA

family. CEA is synthesized during development in the fetal gut and is re-expressed in

increased amounts in intestinal carcinomas and several other tumors.

This Monoclonal antibody does not react with nonspecific cross-reacting antigen (NCA) and with human polymorphonuclear leucocytes. It shows no reaction with a variety of normal tissues and is suitable for staining of formalin/paraffin tissues. CEA is not found in benign glands, stroma, or malignant prostatic cells. Antibody to CEA is useful in detecting early foci of gastric carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% are CEA+)

from pleural mesotheliomas (rarely or weakly CEA+). Anti-CEA positivity is seen in

adenocarcinomas from the lung, colon, stomach, esophagus, pancreas, gallbadder, urachus,

salivary gland, ovary, and endocervix.

Cellular Localization: Cytoplasmic and lumenal membrane.





CEACAM5 Mouse Monoclonal Antibody [Clone ID: SPM551] - AM33275PU-T

Formulation: 10mM PBS

State: Purified

State: Liquid purified IgG fraction from Bioreactor Concentrate

Stabilizer: 0.05% BSA

Preservative: 0.05% Sodium Azide

Concentration: lot specific

Purification: Protein A/G Chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 80-200 kDa

Gene Name: carcinoembryonic antigen related cell adhesion molecule 5

Database Link: Entrez Gene 1048 Human

P06731

Background: Human carcinoembryonic antigen (CEA) belongs to a family of membrane glycoproteins that


are overexpressed in many carcinomas. CEA may function as a cell adhesion molecule, which

could play an important role during embryogenesis and possibly also during tumor development. Despite its presence in some normal tissues, its concentration in serum is a clinically useful parameter, especially in the postoperative monitoring of colonic tumor

patients.

Synonyms: CEA, Carcinoembryonic antigen

Product images:



Formalin-Fixed, Paraffin-Embedded Human colon stained with CEA Antibody (Clone SPM551).