

## Product datasheet for MR220319L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Hnrnpc (NM\_001170981) Mouse Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Hnrnpc (NM\_001170981) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Hnrnpo

Synonyms: AL022939; D14Wsu171e; hnrnp-C; hnRNPC1; hnRNPC2; Hnrpc; Hnrpc1; Hnrpc2

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001170981

ORF Size: 900 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(MR220319).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001170981.1</u>

 RefSeq Size:
 2805 bp

 RefSeq ORF:
 903 bp

 Locus ID:
 15381

 UniProt ID:
 Q9Z204

Cytogenetics: 14 26.79 cM





## **Gene Summary:**

Binds pre-mRNA and nucleates the assembly of 40S hnRNP particles. Interacts with poly-U tracts in the 3' UTR or 5'-UTR of mRNA and modulates the stability and the level of translation of bound mRNA molecules. Single HNRNPC tetramers bind 230-240 nucleotides. Trimers of HNRNPC tetramers bind 700 nucleotides. May play a role in the early steps of spliceosome assembly and pre-mRNA splicing. N6-methyladenosine (m6A) has been shown to alter the local structure in mRNAs and long non-coding RNAs (lncRNAs) via a mechanism named 'm(6)A-switch', facilitating binding of HNRNPC, leading to regulation of mRNA splicing. [UniProtKB/Swiss-Prot Function]