

Product datasheet for MR223393L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Brdt (NM_054054) Mouse Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Brdt (NM_054054) Mouse Tagged ORF Clone Lentiviral Particle

Symbol: Brdt

Synonyms: 7420412D09Rik; Brd; Brd6; Fsr; Fsrg3

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_054054

ORF Size: 2868 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(MR223393).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 054054.2</u>, <u>NP 473395.2</u>

 RefSeq Size:
 4710 bp

 RefSeq ORF:
 2871 bp

 Locus ID:
 114642

 UniProt ID:
 Q91Y44

 Cytogenetics:
 5 E5







Gene Summary:

The protein encoded by this gene belongs to the BET protein family. BET proteins have two N-terminal bromodomains and one C-terminal extraterminal domain (ET domain). BET proteins regulate chromatin reorganization via binding to acetylated histones. This gene is thought to play a role in the transcriptional regulation of spermatogenesis. Although referred to as testis-specific bromodomain (Brdt) protein, RT-PCR indicates that this gene is expressed in both mouse oocytes and testes. Alternative splicing results in multiple transcript variants encoding different proteins. [provided by RefSeq, Jul 2008]