

Product datasheet for RC200629L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

UBE3A (NM_130838) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: UBE3A (NM_130838) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: UBE3A

Synonyms: ANCR; AS; E6-AP; EPVE6AP; HPVE6A

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC200629).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_130838

ORF Size: 2556 bp





UBE3A (NM_130838) Human Tagged Lenti ORF Clone - RC200629L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 130838.1</u>

 RefSeq Size:
 4491 bp

 RefSeq ORF:
 2559 bp

 Locus ID:
 7337

 UniProt ID:
 Q05086

Cytogenetics: 15q11.2

Domains: HECT

Protein Families: Druggable Genome

Protein Pathways: Ubiquitin mediated proteolysis


MW: 97.8 kDa

Gene Summary: This gene encodes an E3 ubiquitin-protein ligase, part of the ubiquitin protein degradation


system. This imprinted gene is maternally expressed in brain and biallelically expressed in other tissues. Maternally inherited deletion of this gene causes Angelman Syndrome, characterized by severe motor and intellectual retardation, ataxia, hypotonia, epilepsy, absence of speech, and characteristic facies. The protein also interacts with the E6 protein of human papillomavirus types 16 and 18, resulting in ubiquitination and proteolysis of tumor protein p53. Alternative splicing of this gene results in three transcript variants encoding three isoforms with different N-termini. Additional transcript variants have been described, but their full length nature has not been determined. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC200629L1



Double digestion of RC200629L1 using Sgfl and Mlul