

Product datasheet for RC201078L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Acid Phosphatase (ACP1) (NM 007099) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Acid Phosphatase (ACP1) (NM 007099) Human Tagged ORF Clone Lentiviral Particle

Symbol: Acid Phosphatase

Synonyms: HAAP; LMW-PTP; LMWPTP

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 007099

ORF Size: 474 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC201078).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 007099.2

RefSeq Size: 1568 bp **RefSeq ORF:** 477 bp

Locus ID: 52

UniProt ID: P24666

Cytogenetics: 2p25.3

Domains: LMWPc

Protein Families: Druggable Genome, Phosphatase, Transmembrane





Acid Phosphatase (ACP1) (NM_007099) Human Tagged ORF Clone Lentiviral Particle – RC201078L1V

Protein Pathways: Adherens junction, Riboflavin metabolism

MW: 18 kDa

Gene Summary: The product of this gene belongs to the phosphotyrosine protein phosphatase family of

proteins. It functions as an acid phosphatase and a protein tyrosine phosphatase by hydrolyzing protein tyrosine phosphate to protein tyrosine and orthophosphate. This enzyme also hydrolyzes orthophosphoric monoesters to alcohol and orthophosphate. This gene is

genetically polymorphic, and three common alleles segregating at the corresponding locus give rise to six phenotypes. Each allele appears to encode at least two electrophoretically different isozymes, Bf and Bs, which are produced in allele-specific ratios. Multiple

alternatively spliced transcript variants encoding distinct isoforms have been identified for

this gene. [provided by RefSeq, Aug 2008]