

Product datasheet for RC201126L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD18 (ITGB2) (NM_000211) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CD18 (ITGB2) (NM_000211) Human Tagged ORF Clone Lentiviral Particle

Symbol: CD18

Synonyms: CD18; LAD; LCAMB; LFA-1; MAC-1; MF17; MFI7

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_000211 **ORF Size:** 2307 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC201126).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 000211.2</u>

 RefSeq Size:
 2977 bp

 RefSeq ORF:
 2310 bp

 Locus ID:
 3689

 UniProt ID:
 P05107

Cytogenetics: 21q22.3

Domains: INB

Protein Families: Druggable Genome, Transmembrane





CD18 (ITGB2) (NM_000211) Human Tagged ORF Clone Lentiviral Particle - RC201126L4V

Protein Pathways: Cell adhesion molecules (CAMs), Leukocyte transendothelial migration, Natural killer cell

mediated cytotoxicity, Regulation of actin cytoskeleton, Viral myocarditis

MW: 84.8 kDa

Gene Summary: This gene encodes an integrin beta chain, which combines with multiple different alpha

chains to form different integrin heterodimers. Integrins are integral cell-surface proteins that participate in cell adhesion as well as cell-surface mediated signalling. The encoded protein plays an important role in immune response and defects in this gene cause leukocyte adhesion deficiency. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Dec 2014]