

### Product datasheet for RC201757L2

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Aspartate Aminotransferase (GOT1) (NM\_002079) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Aspartate Aminotransferase (GOT1) (NM\_002079) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Aspartate Aminotransferase

Synonyms: AST1; ASTQTL1; cAspAT; cCAT; GIG18

Mammalian Cell None

Selection:

Vector: pLenti-C-mGFP (PS100071)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC201757).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_002079

ORF Size: 1239 bp



#### Aspartate Aminotransferase (GOT1) (NM\_002079) Human Tagged Lenti ORF Clone - RC201757L2

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 002079.1</u>

 RefSeq Size:
 2140 bp

 RefSeq ORF:
 1242 bp

 Locus ID:
 2805

 UniProt ID:
 P17174

Cytogenetics: 10q24.2

**Domains:** aminotran\_1\_2

**Protein Pathways:** Alanine, aspartate and glutamate metabolism, Arginine and proline metabolism, Cysteine and

methionine metabolism, Metabolic pathways, Phenylalanine, tyrosine and tryptophan

biosynthesis, Phenylalanine metabolism, Tyrosine metabolism

MW: 46.2 kDa


**Gene Summary:** Glutamic-oxaloacetic transaminase is a pyridoxal phosphate-dependent enzyme which exists

in cytoplasmic and mitochondrial forms, GOT1 and GOT2, respectively. GOT plays a role in amino acid metabolism and the urea and tricarboxylic acid cycles. The two enzymes are

homodimeric and show close homology. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC201757L2