

Product datasheet for RC203295L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PBK (NM_018492) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PBK (NM_018492) Human Tagged ORF Clone Lentiviral Particle

Symbol: PBK

Synonyms: CT84; HEL164; Nori-3; SPK; TOPK

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM_018492

ORF Size: 966 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC203295).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 018492.2

 RefSeq Size:
 2127 bp

 RefSeq ORF:
 969 bp

 Locus ID:
 55872

 UniProt ID:
 Q96KB5

 Cytogenetics:
 8p21.1

Domains: pkinase, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase



PBK (NM_018492) Human Tagged ORF Clone Lentiviral Particle - RC203295L1V

MW: 36.1 kDa

Gene Summary: This gene encodes a serine/threonine protein kinase related to the dual specific mitogen-

activated protein kinase kinase (MAPKK) family. Evidence suggests that mitotic $\,$

phosphorylation is required for its catalytic activity. The encoded protein may be involved in the activation of lymphoid cells and support testicular functions, with a suggested role in the

process of spermatogenesis. Overexpression of this gene has been implicated in

tumorigenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq,

Jul 2013]